ERRATA

Recognition of the Iron Bacteria "*Siderocapsa*" as Arthrobacters and Description of *Arthrobacter* *siderocapsulatus* sp. nov.

G. DUBININA AND A. V. ZHDANOV

Institute of Microbiology, USSR Academy of Sciences, Moscow, USSR

Volume 25, no. 4, p. 345. Change the second paragraph to read as follows:
Physiological and cultural properties. Strains A and G grow on most standard bacteriological media.

DMS Agar, a New Composite Tube Medium for Differentiation Within the Genus *Salmonella*

STEFAN I. BONEV

Laboratory for Zoonoses, Dargaven, Ekarisage, Burgas, Bulgaria

Volume 26, no. 1, p. 80, column 2, line 27: "Russel" should read "Russell (J. Med. Res. 25:217, 1911)."

Page 81, reference 3, line 2: Add "Center for Disease Control, Atlanta."

Page 81, reference 13, line 1: "1965" should read "1955."

Streptosporangium corrugatum sp. nov., an Actinomycete with Some Unusual Morphological Features

S. T. WILLIAMS AND G. P. SHARPLES

Botany Department, University of Liverpool, Liverpool L69 3BX, United Kingdom

Volume 26, no. 1, p. 45, title: The species name "*corrugatum*" was misspelled by the printer.