Errata

Arcanobacterium abortusuis sp. nov., isolated from a placenta of a sow following an abortion

Ryozo Azuma, Satoshi Murakami, Akihiro Ogawa, Yoshikiyo Okada, Shigeru Miyazaki and Takashi Makino

International Journal of Systematic and Evolutionary Microbiology (2009), 59, part 6, 1469–1473

Due to an error introduced during copy-editing, in the section discussing analysis of whole-cell sugars on p. 1470 (left column, third paragraph), the concentration of H₂SO₄ is given incorrectly as 2 M. The correct concentration is 0.5 M. The authors also wish to add that this treatment was carried out at 100 °C for 2 h, before adjustment to pH 5.0–5.5 with saturated Ba(OH)₂.

Chromobacterium piscinae sp. nov. and *Chromobacterium pseudoviolaceum* sp. nov., from environmental samples

Peter Kämpfer, Hans-Jürgen Busse and Holger C. Scholz

International Journal of Systematic and Evolutionary Microbiology (2009), 59, part 10, 2486–2490

The type strain of *Chromobacterium pseudoviolaceum* is given erroneously in the abstract and species description as NCTC 8182. The correct type strain of *Chromobacterium pseudoviolaceum* is LMG 3953^T = CCM 2076^T = NCIMB 8182^T. The authors are grateful to Peter Dawyndt (LMG Gent) for pointing out this error.