Errata

Aeromonas fluvialis sp. nov., isolated from a Spanish river

Anabel Alperi, Antonio J. Martínez-Murcia, Arturo Monera,
Maria J. Saavedra and Maria J. Figueras

International Journal of Systematic and Evolutionary Microbiology (2010), 60, part 1, 72–77.

In Table 1 on page 74 of this paper, the following corrections are required:

For taxon 4 (*A. caviae*), hydrolysis of gelatin should be given as v (+) and not +(+).

For taxon 6 (*A. eucrenophila*), acid from salicin should be given as v (–) and not v (+).

For taxon 9 (*A. jandaei*), acid from sucrose should be – (–) and not – (+).

For taxon 11 (*A. schubertii*), hydrolysis of gelatin should be v (+) and not +(+).

For taxon 15 (*A. popoffii*), acid from sucrose should be – (–) and not – (+).

For taxon 20 (*A. tecta*), hydrolysis of gelatin should be ND (+) and not ND (–).

Actinomadura sputi sp. nov., isolated from the sputum of a patient with pulmonary infection

A. F. Yassin, C. Spröer, C. Siering and H.-P. Klenk

International Journal of Systematic and Evolutionary Microbiology (2010), 60, part 1, 149–153.

The type strain of *Actinomadura sputi* is given erroneously in the abstract and description as CCUG 56587^T. The correct type strain of *Actinomadura sputi* is IMMIB L-889^T=DSM 45233^T=CCUG 56589^T.